# This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

THIS PAGE BLANK (USPTO)

German OLS 1,756,144

Crane track provided with extending support legs. Two legs 10 mounted at the rear of the truck are extendably at an angle to the longitudinal axis and diverge rearwardly.

PCC

THIS PAGE BLANK (USPTO)

TOND AT LABOUR CONTROL OF THE COUNTY

का सार्वे वर्षा क

A MARKET STREET

And Market

ary tricked by the first

CHARLES TO SELECT

AND STATE OF THE WASHING STATES OF THE PARTY OF THE PARTY



#### stroaren Kran, insbesondere Autokran

Dia Grendung dezheku ench avri ennen danzibrien kuen The pesonite reflection Authoritan min a susscript by the property of Securities safeties and a second and the second zeus zuane grichteme hatteundre Vi

Termina and the second Chering the Branch Draned Syes Led Cherical Assemblants and Branch THE ASSESSMENT OF THE STATE OF GO BOW NAMES OF THE PROPERTY O Silver contract through a bold with the same of the contract o

The second secon The color of the although the fact the many living all

With Albridge arternology a Relamon and Spream transcription to ion and industrial and concernation of the con recommendation zour falt zour-Lengeachser Sinaction lieur Jaiten ilo vareoliteroer gesultry esing. The Verthoung zerystein Can beiden Stutzerme! 7 im volvig eingefehrenen Zuetand watering dan andere Ethezarm // volle adage attren lete.

Am Hinterende des labrzeug-Rabmens 1 sind zwei weltere Honivasten 9 mit in ihnen verschiebbar geführten Stütz? armen 10 so befestigt, das ihre Mittellinien je enen Winkel & mit der Fahrzeug-Längsachse 8 bilden: Demgemäß dil

00981170872

#### (vergieren die Sulizarde 10 nach din al din

Paten in English (Paten in English)

